



Factory Address : W-60, Phase II, MIDC, Dombivili (E), Thane 421204

Phone : 0251-2870260 Mobile : +91-9594079078 Email : info@durveshrasayan.com Website : www.durveshrasayan.com

## I.W.P - 60

### Integral Waterproofing Compound

**Durvexture – I.W.P - 60** is specially formulated integral liquid waterproofing compound composed of surface active plasticising agents, polymers & additives. It is used as an additive for cement concrete, mortar & plasters. It makes concrete cohesive and prevents segregation.

#### Areas of Application

Basements	Roof slabs and screeds	External plastering
Sumps and Drains	Water tanks & water retaining structures	Bathroom and Balconies

#### Features & Benefits

- Corrosion resistant - Makes concrete more cohesive, hence protects steel better against corrosion
- Compatibility – Being a liquid, easily dispersible & compatible with concrete/mortar mixes.
- Strength – The setting time and compressive strength of the concrete remains within the specification limits.
- Workability – Improves workability of freshly mixed cement concrete.
- Durability – Increases durability by improving waterproofing of concrete.

#### Method of Application

- Do not add Durvexture – I.W.P - 60 directly to dry cement & aggregate mix.
- Maintain water-cement ratio as low as possible.
- Do not increase the dosage of Durvexture – I.W.P - 60 than the recommendation.

#### Technical Information

Appearance	Free Flowing Liquid
Colour	Wine Red
Specific Gravity	1.050 – 1.070
pH Value	9 - 13

#### Dosage

200 ml of Durvexture I.W.P – 60 for 50 kgs of Cement

#### Packing

1, 5, 20, 50 & 100 litre

#### Shelf Life & Storage

Best before 1 year from the date manufacture when in sealed pack and stored under proper condition. Store in a cool & dry place.



Durvesh Rasayan Pvt Ltd  
W-60, Phase II, MIDC,  
Dombivili (E), Thane, 421204  
Email : info@durveshrasayan.com  
Contact : +91-9594079078

Note - The information included on this technical datasheet is the sole property of Durvesh Rasayan Pvt Ltd. The authorised disclosure, use, dissemination or copying (either whole or partial) of this data sheet or any information it contains, is prohibited and subject to legal pursuit